

This Page Is Inserted by IFW Operations
and is not a part of the Official Record

BEST AVAILABLE IMAGES

Defective images within this document are accurate representations of the original documents submitted by the applicant.

Defects in the images may include (but are not limited to):

- BLACK BORDERS
- TEXT CUT OFF AT TOP, BOTTOM OR SIDES
- FADED TEXT
- ILLEGIBLE TEXT
- SKEWED/SLANTED IMAGES
- COLORED PHOTOS
- BLACK OR VERY BLACK AND WHITE DARK PHOTOS
- GRAY SCALE DOCUMENTS

IMAGES ARE BEST AVAILABLE COPY.

**As rescanning documents *will not* correct images,
please do not report the images to the
Image Problem Mailbox.**

(19)



Europäisches Patentamt
European Patent Office
Office européen des brevets



(11)

EP 0 840 509 A2

(12)

EUROPEAN PATENT APPLICATION

(43) Date of publication:
06.05.1998 Bulletin 1998/19

(51) Int. Cl.⁶: **H04N 7/088**

(21) Application number: **97307341.4**

(22) Date of filing: **22.09.1997**

(84) Designated Contracting States:
**AT BE CH DE DK ES FI FR GB GR IE IT LI LU MC
NL PT SE**

(30) Priority: **30.10.1996 GB 9625599**

(71) Applicant:
**International Business Machines
Corporation
Armonk, N.Y. 10504 (US)**


(72) Inventor: **Byford, Derrick John
Catford, London SE6 2LN (GB)**

(74) Representative:
**Williams, Julian David
IBM United Kingdom Limited,
Intellectual Property Department,
Hursley Park
Winchester, Hampshire SO21 2JN (GB)**

(54) System and method for accessing data files in a computer network

(57) Described is a system for accessing data files in a computer network. The system comprises means for receiving a call from a telephone, means for allocating a teletext page in a television signal in response to

the call, and means for writing data from one or more of the data files to the allocated teletext page.



EP 0 840 509 A2

Description

The present invention relates to a system and method for accessing data files in a computer network.

In recent years, there has been explosive growth in the Internet, and in particular of the Worldwide Web (WWW), which is one of the facilities provided via the Internet. The WWW comprises many pages or files of information, distributed across many different servers. Each page is identified by an individual address or "Universal Resource Locator (URL)". Each URL denotes both a server machine, and a particular file or page on that machine. There may be many pages or URLs resident on a single server.

Typically, to utilise the WWW, a user runs a computer program called a Web browser on a client computer system such as a personal computer. Examples of widely available Web browsers include the "WebExplorer" Web browser provided by International Business Machines Corporation in the OS/2 Operating System software, or the "Navigator" Web browser available from Netscape Communications Corporation. The user interacts with the Web browser to select a particular URL. The interaction causes the browser to send a request for the page or file identified in selected URL to the server identified in the selected URL. Typically, the server responds to the request by retrieving the requested page, and transmitting the data for that page back to the requesting client. The client-server interaction is usually performed in accordance with a protocol called the hypertext transfer protocol ("http"). The page received by the client is then displayed to the user on a display screen of the client. The client may also cause the server to launch an application, for example to search for WWW pages relating to particular topics.

WWW pages are typically formatted in accordance with a computer programming language known as hypertext mark-up language ("html"). Thus a typically WWW page includes text together with embedded formatting commands, referred to as tags, that can be employed to control for example font style, font size, layout etc. The Web browser parses the HTML script in order to display the text in accordance with the specified format. In addition, an html page also contains a reference, in terms of another URL, to a portion of multimedia data such as an image, video segment, or audio file. The Web Browser responds to such a reference by retrieving and displaying or playing the multimedia data. Alternatively, the multimedia data may reside on its own WWW page, without surrounding html text.

Most WWW pages also contain one or more references to other WWW pages, which need not reside on the same server as the original page. Such references may be activated by the user selecting particular locations on the screen, typically by clicking a mouse control button. These references or locations are known as hyperlinks, and are typically flagged by the Web browser in a particular manner. For example, any text

associated with a hyperlink may be displayed in a different colour. If a user selects the hyperlinked text, then the referenced page is retrieved and replaces the currently displayed page.

Further information about html and the WWW can be found in "World Wide Web and HTML" by Douglas McArthur, p18-26 in Dr Dobbs Journal, December 1994, and in "The HTML SourceBook" by Ian Graham, John Wiley, New York, 1995.

Conventionally, to access WWW pages via the Internet, a user has needed access to relatively specialised and expensive hardware such as a personal computer fitted with a modem communications link and a WWW browser software package. More recently, there have become available a variety of so-called "set-top boxes"; each for linking a domestic television receiver to the WWW. Examples of such set-top boxes include the Internet TV Terminal available from Phillips/Magnavox and the WebTV Internet Terminal available from Sony Corporation. A set-top box typically includes a modem communication link connectable to the WWW via a subscriber telephone line and a video output connectable to a domestic television receiver for displaying WWW pages downloaded from the WWW via the modem link. It would be desirable to enable users to access the Internet access with no, or at most the bare minimum of, additional specialist hardware.

In accordance with the present invention, there is now provided a system for accessing data files in a computer network, the system comprising: means for receiving a call from a telephone; means for allocating a teletext page in a television signal in response to the call; and, means for writing data from one or more of the data files to the allocated teletext page.

This advantageously enables a user to select and view data files available via a computer network such as the Internet via a domestic television receiver capable of receiving teletext and a domestic telephone hand-set.

The system preferably comprises means for sending a message identifying the allocated teletext page to the telephone.

In preferred embodiments of the present invention, the system comprises means for generating a menu of data files available via the computer network, each data file having a different identifier specified in the menu; means for writing the menu to the allocated teletext page; means for receiving the identifier corresponding to a selected data file from the telephone; means for retrieving the selected data file from the computer network; and, means for writing data from the selected data file to the allocated teletext page.

The system preferably comprises means for releasing the allocated teletext page for re-allocation in response to termination of the telephone call.

In preferred embodiments of the present invention, there is provided means for generating successive menus of data files in response to successive selections received via the telephone.

In particularly preferred embodiments of the present invention, each data file comprises a World Wide Web page.

In some embodiments of the present invention the call receiving means and the identifier receiving means may be responsive to a tone dialling signal. In other embodiments of the present invention however, the call receiving means and the identifier receiving means each comprise a voice recognition sub-system.

In particularly preferred embodiments of the present invention, there is provided means for detecting if a teletext page is available for allocation to an incoming call and, in the event that no teletext pages are available for allocation, for returning the incoming call when a teletext page is released for re-allocation.

Examples of the present invention may also include means for sending a facsimile message containing data from the selected data file.

Viewing the present invention from another aspect there is provided a method for accessing data files in a computer network, the method comprising: receiving a call from a telephone; allocating a teletext page in a broadcast television signal in response to the call; sending a message identifying the allocating teletext page to the telephone; generating a menu of data files available via the computer network, each data file having a different identifier specified in the menu; writing the menu to the allocated teletext page; receiving the identifier corresponding to a selected data file from the telephone; retrieving the selected data file from the computer network; and, writing data from the selected data file to the allocated teletext page.

Viewing the present invention from yet another aspect, there is provided a server computer system for accessing data files in a computer network, the system comprising: a call handler for receiving a call from a telephone, for allocating a teletext page in a broadcast television signal in response to the call, for sending a message identifying the allocating teletext page to the telephone; a browser connected to the call handler for generating a menu of data files available via the computer network, each data file having a different identifier specified in the menu; means for writing the menu to the allocated teletext page; the call handler being adapted to receive the identifier corresponding to a selected data file from the telephone; the browser being adapted to retrieve the selected data file from the network; and a page convertor connected to the browser for writing data from the selected data file to the allocated teletext page.

Preferred embodiments of the present invention will now be described by way of example only with reference to the accompanying drawings, in which:

Figure 1 is a block diagram of a data communications network;

Figure 2 is a block diagram of a server computer of

the data communications network;

Figure 3 is a block diagram of a teletext server of the data communications network; and,

Figure 4 is another block diagram of the teletext server presented in the form of a flow chart.

Referring first to Figure 1, a data communication network embodying the present invention comprises the Internet 100. A plurality of WWW server computer systems 110-130 are connected to Internet 100. Also connected to Internet 100 is a teletext server 140. Teletext server 140 is configured to receive an input from a subscriber telephone 170 with tone dialling capability. Teletext server 140 also provides a teletext output to a broadcast television receiver 150 capable of receiving teletext pages. Television receiver 150 can be instructed by user 180 to access different teletext pages via a remote control device 160.

Referring now to Figure 2, each WWW server 110-130 includes a keyboard 200 attached to a system unit 210 including a main CPU 220, system RAM 230, system ROM 240, and mass storage capability 250, typically in the form of multiple magnetic disk drives constituted in a RAID (redundant array of independent disks) arrangement. Each WWW server 110-130 has stored in its mass storage 250 at least one WWW page. Each WWW server 110-130 also includes a display 260 enabling direct interaction between the WWW server 110-130 and an administrator. Each WWW server 110-130 may also include other storage devices such as diskette drives and CD ROM drives. In some embodiments of the present invention, the display 260 and keyboard 200 of each WWW server 110-130 provided via an intermediate personal computer.

Referring now to Figure 3, teletext server 140 comprises a telephone call handler 300, a web browser 310, and a WWW page convertor 320 all interconnected to each other. In some embodiments of the present invention, telephone handler 300, web browser 310, and WWW page convertor 320 may be integrated into a single server computer system on the kind hereinbefore described with reference to Figure 2. However, in other embodiments of the present invention, teletext server 140 may comprise separate computer systems for implementing each of call handler 300, web browser 310, and page convertor 320. Call handler receives incoming telephone calls made to one or more pre-assigned telephone numbers. The pre-assigned telephone numbers may, for example, be premium rate telephone numbers. Web browser 310 is connected to the Internet for accessing WWW pages. WWW page convertor 320 is connected to a teletext input of a broadcast television signal generator (not shown).

Referring now to Figure 4, to display information from a WWW page on television receiver 150, user 180 places a telephone call from tone phone 170 to a tele-

phone number associated with call handler 300 of teletext server 140 as signified by input block 400. At block 410, call handler 300 responds to the incoming call by allocating a currently unused teletext page to the user. Call handler 300 automatically generates an audio message for indicating the number of the allocated teletext page to the user.

Web browser 310 provides an initial subject menu to page convertor 320. At block 420, page convertor 320 inserts the initial subject menu into the allocated teletext page. The teletext page including the menu is inserted in the broadcast television signal. The teletext page is recovered from broadcast television signal at television receiver 150, and the subject menu is displayed on the screen of television receiver 150. User 180 accesses the allocated teletext page and hence the subject menu by keying the number supplied via telephone 170 on remote control device 160. Television receiver displays the allocated teletext page in response to the corresponding output of remote control device 160. Each item on the subject menu corresponds to a different number.

User 180 selects, at block 430, a particular item from the subject menu by keying the corresponding number into telephone 170. Call handler 300 detects the number keyed into telephone 170 and passes it to web browser 310. At block 450, a search engine of web browser 310 scans internet 100 for WWW pages corresponding to the subject selected by the user. Web browser 310 then generates a WWW menu of WWW pages identified by the search engine. Each WWW page listed in the WWW menu is accompanied by a brief description of the content thereof, and each WWW page listed in the WWW menu is, once again associated with a different number. Web browser 310 compiles a look up table mapping each number to the URL of the corresponding WWW page. The WWW menu is passed by web browser 310 to page convertor 320 for inclusion in the teletext page allocated to user 180.

If user 180 fails to make a selection from the initial menu during a predetermined time out period monitored at block 440 then, at block 460, the telephone call connection between telephone 170 and call handler 300 is terminated by call handler 300. At block 520, call handler 300 releases the allocated teletext page for re-allocation to a new user. If however selection from the initial menu is made as hereinbefore described, user 180 is presented with the WWW menu on the screen of television receiver 150. At block 470, user selects a WWW page of interest from WWW menu by keying the corresponding number into telephone 170. Call handler 300 detects the entered number and sends it to web browser 310. Web browser 310 then retrieves the URL corresponding to the entered number from the look up table and the WWW page corresponding to the URL from Internet 100. The retrieved WWW page is sent by web browser 310 to page convertor 320. At block 490, page convertor 320 converts the WWW page supplied

by web browser to a form suitable for inclusion in the allocated teletext page and updates the allocated teletext page to include the converted WWW page for presentation to user 180 on the screen of television receiver 150.

If user 180 fails to select a WWW page within a predetermined time out period then, at block 480, user 180 is returned to the initial menu for subject selection at block 430.

Each hypertext link contained in the retrieved WWW page, if any, is converted by page convertor 320 into a number for inclusion in the allocated teletext page. Page convertor 320 instructs web browser to update the look-up table to include the number corresponding to each hypertext link. At block 500, user 180 can select the hypertext link by keying the corresponding number displayed on the allocated teletext page into telephone 170. The number thus entered is detected by call handler 300 and sent to web browser 310. In turn, web browser 310 retrieves the URL corresponding to the entered number from the look-up table and retrieves the corresponding linked WWW page from Internet 100. The linked WWW page retrieved by web browser 310 is converted to teletext format by page convertor 320 and included in the allocated teletext page for display to user 180.

At block 510, user 180 can terminate the Internet session simply by terminating the call set up between telephone 170 and call handler 300. As mentioned earlier, on detection of termination of the call, at block 520 call handler releases the allocated teletext page for re-allocation to a new user.

In the embodiment of the present invention hereinbefore described two tiers of menus are provided, with possible selections reverting to those of the initial menu in the event that no selection is made from the WWW menu within a predetermined time interval. It will however be appreciated that, in other embodiments of the present invention, more than two tiers of menus may be provided with possible selections reverting to those of earlier menus in the event of no selection within a predetermined period. Equally, in some embodiments of the present invention, only a single menu of available WWW pages may be provided.

In a modification of the embodiment of the present invention hereinbefore described, call handler 300 may include a voice recognition sub-system for permitting WWW page selection by voice input from telephone 170.

In another modification of the embodiment of the present invention hereinbefore described, call handler 300 may include a facsimile sub-system for providing a user having access to a facsimile receiver with a printed output of a selected WWW page.

In yet another modification of the embodiment of the present invention hereinbefore described, call handler 300 may include a "call-back on busy" sub-system for returning a call to telephone 170 when a teletext

page is free for allocation in the event of an initial call from telephone 170 being made at a time when all teletext pages available to server 140 are already allocated to other users.

In particularly preferred embodiments of the present invention, at least one of the teletext pages available to server 130 is reserved by call handler 300 for providing on-screen help to user 180.

In summary then, a preferred embodiment of the present invention has been hereinbefore described in which there is provided a system for accessing data files in a computer network. The system comprises means for receiving a call from a telephone, means for allocating a teletext page in a television signal in response to the call, and means for writing data from one or more of the data files to the allocated teletext page.

Claims

1. A system for accessing data files in a computer network, the system comprising: means for receiving a call from a telephone; means for allocating a teletext page in a television signal in response to the call; and, means for writing data from one or more of the data files to the allocated teletext page.
2. A system as claimed in claim 1, comprising means for sending a message identifying the allocated teletext page to the telephone.
3. A system as claimed in claim 1 or claim 2, comprising means for generating a menu of data files available via the computer network, each data file having a different identifier specified in the menu; means for writing the menu to the allocated teletext page; means for receiving the identifier corresponding to a selected data file from the telephone; means for retrieving the selected data file from the computer network; and, means for writing data from the selected data file to the allocated teletext page.
4. A system as claimed in claim 3, comprising means for generating successive menus of data files in response to successive selections received via the telephone.
5. A system as claimed in any preceding claim, comprising means for releasing the allocated teletext page for re-allocation in response to termination of the telephone call.
6. A system as claimed in any preceding claim, wherein each data file comprises a World Wide Web page.
7. A system as claimed in any preceding claim, wherein the call receiving means and the identifier receiving means are responsive to a tone dialling signal.
8. A system as claimed in any claim preceding claim 7, wherein the call receiving means and the identifier receiving means each comprise a voice recognition sub-system.
9. A system as claimed in any preceding claim, comprising means for detecting if a teletext page is available for allocation to an incoming call and, in the event that no teletext pages are available for allocation, for returning the incoming call when a teletext page is released for re-allocation.
10. A system as claimed in any preceding claim, comprising means for sending a facsimile message containing data from the selected data file.
11. A method for accessing data files in a computer network, the method comprising: receiving a call from a telephone; allocating a teletext page in a broadcast television signal in response to the call; and, writing data from one or more of the data files to the allocated teletext page.
12. A method as claimed in claim 11, comprising sending a message identifying the allocating teletext page to the telephone.
13. A method as claimed in claim 11 or claim 12, comprising: generating a menu of data files available via the computer network, each data file having a different identifier specified in the menu; writing the menu to the allocated teletext page; receiving the identifier corresponding to a selected data file from the telephone; retrieving the selected data file from the computer network; and, writing data from the selected data file to the allocated teletext page.
14. A server computer system for accessing data files in a computer network, the system comprising: a call handler for receiving a call from a telephone and for allocating a teletext page in a broadcast television signal in response to the call; a browser for accessing one or more data files from the network; and a page convertor for writing data from said one or more data files to the allocated teletext page.
15. A server as claimed in claim 14, wherein the call handler is adapted to send a message identifying the allocating teletext page to the telephone.
16. A server as claimed in claim 14 or claim 15, wherein the browser is adapted to generate a menu of data files available via the computer network, each data file having a different identifier specified in the menu; the page convertor is adapted to write the menu to the allocated teletext page; the call handler

is adapted to receive the identifier corresponding to
a selected data file from the telephone; the browser
is adapted to retrieve the selected data file from the
network; and the page convertor is adapted to write
data from the selected data file to the allocated tele- 5
text page.

10

15

20

25

30

35

40

45

50

55




FIG. 1




FIG. 2





FIG. 3

FIG. 4

(19)



Europäisches Patentamt

European Patent Office

Office européen des brevets



(11)

EP 0 840 509 A3

(12)

EUROPEAN PATENT APPLICATION

(88) Date of publication A3:

08.12.1999 Bulletin 1999/49

(51) Int. Cl.⁶: H04N 7/088

(43) Date of publication A2:

06.05.1998 Bulletin 1998/19

(21) Application number: 97307341.4

(22) Date of filing: 22.09.1997

(84) Designated Contracting States:

AT BE CH DE DK ES FI FR GB GR IE IT LI LU MC
NL PT SE

(30) Priority: 30.10.1996 GB 9625599

(71) Applicant:

International Business Machines
Corporation
Armonk, N.Y. 10504 (US)

(72) Inventor: Byford, Derrick John

Catford, London SE6 2LN (GB)


(74) Representative:

Williams, Julian David
IBM United Kingdom Limited,
Intellectual Property Department,
Hursley Park
Winchester, Hampshire SO21 2JN (GB)

(54) System and method for accessing data files in a computer network

(57) Described is a system for accessing data files in a computer network. The system comprises means for receiving a call from a telephone, means for allocating a teletext page in a television signal in response to

the call, and means for writing data from one or more of the data files to the allocated teletext page.



EP 0 840 509 A3



European Patent
Office

EUROPEAN SEARCH REPORT

Application Number
EP 97 30 7341

DOCUMENTS CONSIDERED TO BE RELEVANT			
Category	Citation of document with indication, where appropriate, of relevant passages	Relevant to claim	CLASSIFICATION OF THE APPLICATION (Int.Cl.6)
X	EP 0 723 369 A (NTEX DATACOMMUNICATIONS) 24 July 1996 (1996-07-24)	1,3,4,6, 7,11,13, 14,16	H04N7/088
A	* the whole document *	5	
A	EP 0 630 156 A (NWT DATAWAVE) 21 December 1994 (1994-12-21) * column 1, line 1 - line 11 * * column 3, line 26 - column 4, line 48 *	1,2,11, 12,14,15	
			TECHNICAL FIELDS SEARCHED (Int.Cl.6)
			H04N
The present search report has been drawn up for all claims			
Place of search THE HAGUE		Date of completion of the search 15 October 1999	Examiner Berwitz, P
<p>CATEGORY OF CITED DOCUMENTS</p> <p>X : particularly relevant if taken alone Y : particularly relevant if combined with another document of the same category A : technological background O : non-written disclosure P : intermediate document</p> <p>T : theory or principle underlying the invention E : earlier patent document, but published on, or after the filing date D : document cited in the application L : document cited for other reasons & : member of the same patent family, corresponding document</p>			

EPO FORM 1503 03.82 (P4/C01)

**ANNEX TO THE EUROPEAN SEARCH REPORT
ON EUROPEAN PATENT APPLICATION NO.**

EP 97 30 7341

This annex lists the patent family members relating to the patent documents cited in the above-mentioned European search report.
The members are as contained in the European Patent Office EDP file on
The European Patent Office is in no way liable for these particulars which are merely given for the purpose of information.

15-10-1999

Patent document cited in search report		Publication date	Patent family member(s)	Publication date
EP 723369	A	24-07-1996	NONE	
EP 630156	A	21-12-1994	NL 9301048 A	16-01-1995

EPO FORM P0459

For more details about this annex : see Official Journal of the European Patent Office, No. 12/82